



[advanced search](#) :: [customize preferences](#) :: [submit site](#) :: [help](#)

"ethernet" "non-condensing" "temperature" "1"

• • • find it all • • •

Results in: Any Language English

[Web](#) | [News](#) | [Pictures](#) | [Video](#) | [Audio](#) |

1 - 9 of 12 Results for "ethernet" "non-condensing" "temperature" "10-95" Offensive content filter: On - Off

Web Results ([What's this?](#))

[Product Information for Acctom_PCMCIA_Ethernet item FE2500](#)

Product Info. Notebooks and Accessories / PCMCIA Accessories / Acctom PCMCIA **Ethernet**. FE2500 - Mecer Pcmcia 32BIT 10/100T (cardbus) Features. PCMCIA Card-Bus standard compliant. 32-bit bus-mastering data transfer 10Mbps or 100Mbps

more hits from: http://e.mecer.com/productinfo/Aacctom_PCMCIA_Ethernet/fe2500.html - 4 KB

[Datech Networks, Israel Computers Store Sales Repair](#)

... Windows 95/ 98, Windows NT/2000/XP, Windows for Workgroup 3.11 ... Operating **Temperature**: 32~140°F (0~60°C) Operating Humidity: 10~95% (Non-condensing) Certification : FCC Class ...
more hits from: http://www.datech.co.il/product_info.php?product_id=1175 - 107 KB

http://www.sohoware.com/span/new_sohoware/newfiles/subpages/product/gah03d.htm

Business Solutions. Latest News. Products. Firewall and VPN- WLAN & HotSpots- Access Servers- Managed Switches- NICs and Accessories- Print Servers- ... with credit card size PCMCIA Fast **Ethernet** adapter . This is designed for Type II ... Operating **Temperature** : 32~140°F (0~60°C) Operating Humidity: 10~95% (Non-condensing) ...

more hits from: http://www.sohoware.com/span/new_sohoware/newfiles/subpages/product/gah03d.htm - 19 KB



[Arise Industrial Single Board Computer, DX-4000](#)

... 64MB (EDO or DRAM) **Ethernet** Controller. REALTEK RTL8029 (10Base-T & AUI) ... **Temperature**. Operating: 0~60°C. Storage -40~75°C. Humidity: 10%~95% (non-condensing) ...
more hits from: <http://www.arisecomputer.com/singlebrd/Dx-4000.asp> - 19 KB

[Lanworks Store](#)

... DOS, Windows 95/ 98, Windows NT/2000/XP, Windows for Workgroup 3.11, Netware Server ...
Operating **Temperature**: 32~140°F (0~60°C) Operating Humidity: 10~95% (Non-condensing) ...
more hits from: http://www.lanworksstore.com/catalog/product_info.php?product_id=7cad62b3f921be7a64243127 - 24 KB

[SBC82810 \[Adobe PDF\]](#)

... 150 supported with RAID supported. Dual **Ethernet** as Fast **Ethernet** and Gigabit option ...
Temperature. 0~60°C, operation. Operation Humidity 10% ~ 95% relative humidity, non-condensing ...
more hits from: http://www.axiomtek.com.tw/Download/MKT_Materials/EPC/e3.pdf - 340 KB

[SBC83680 \[Adobe PDF\]](#)

... 10/100Base-T **Ethernet**. AC'97 Audio codec ... Operation Humidity. 10% ~ 95% relative humidity, non-condensing ... under Windows® 98/ME/2000, D1 and D2 up to ...
more hits from: http://www.axiomtek.com.tw/images/data_sheet_files/sbc83680.pdf - 232 KB

[Newegg.com - Once You Know, You Newegg](#)

Newegg.com - A great place to buy computers, computer parts, electronics, software, accessories, and DVDs online. With great prices, fast shipping, and top-rated customer service - once you know, you Newegg. ... 10~95% (Non-condensing) Interface: 32bit CardBus. Operating Systems Supported: DOS, Windows 95/ 98, Windows NT/2000/XP ... **Temperature**: 32~140°F (0~60°C) ...


more hits from: <http://www.newegg.com/app/ViewProduct.asp?submit=BROWSE&manufacturer=1924&DEPA=1> - 121 KB

[SBC83680 \[Adobe PDF\]](#)

... SBC83680 with onboard PIII 500MHz. CPU, CRT/LCD, **Ethernet** and Audio ... 98/ME/**2000**, D1 and D2 up to ... Operation Humidity. 10% ~ 95% relative humidity, **non-condensing** ...
more hits from: <http://www.plug-in.de/embedded/pdfs/SBC83680.pdf> - 629 KB

Result Page: 1

"ethernet" "non-condensing" "temperature" "1"/> search within your results



[Home](#) :: [Submit Site](#) :: [About Us](#) :: [Help](#)

Copyright © 2005 Overture Services, Inc.

Refine Search

Search Results -

Term	Documents
"10"	3159361
10S	2773
TO	8190
"95"	472965
95S	150
ETHERNET	21050
ETHERNETS	261
((("10" ADJ TO) ADJ "95") AND ETHERNET).USPT.	0
(10 ADJ TO ADJ 95 AND ETHERNET).USPT.	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Tuesday, June 07, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

<u>L10</u>	10 adj to adj 95 and ethernet	0	<u>L10</u>
<u>L9</u>	10-95 and ethernet	0	<u>L9</u>
<u>L8</u>	L7 and operating adj temperature	9	<u>L8</u>
<u>L7</u>	L6 and temperature	11	<u>L7</u>
<u>L6</u>	ethernet and non-condensing and humidity	11	<u>L6</u>

Hit Count Set Name

result set

<u>L5</u>	ethernet adj switch and humidity and non-condensing	0	<u>L5</u>
<u>L4</u>	L3	2	<u>L4</u>
<u>L3</u>	L2 and temperature	2	<u>L3</u>
<u>L2</u>	L1 and ethernet	2	<u>L2</u>
<u>L1</u>	60 adj degrees and non-condensing	8	<u>L1</u>

END OF SEARCH HISTORY